

**SCHEDULE 1 – STANDARD CONNECTION SERVICES****1. Underground extension standard connection services and associated pre-calculated capital contribution charges***(a) Standard connection services*

| <b>Standard Connection Service</b>   | <b>Standard Connection Service - Description of Relevant Technical and Safety Requirements</b>  | <b>Additional requirement depending on whether assets are dual use or single use</b>   | <b>Indicative Pre-calculated capital contribution</b> |
|--|---|--|---|
| Underground extension (up to 40 metres) from the existing overhead supply.   | <p>Establish the following connection assets:</p> <p>(I) an underground service line from the service joint to the service pit or service pillar; and</p> <p>(II) a service pillar or underground service pit at the nominated technically applicable connection point;</p> <p>The service line is no more than 40 metres in length for a pole to pit. The fee assumes that the service line will not cross any roads.</p> <p>A service pit is not suitable to be located where it may be subjected to vehicular traffic.</p>   | <p><b>Dual Use</b></p> <p>The pit is assumed to be dual (shared) use and must be placed at the DNSP's preferred shared use location.</p> <ul style="list-style-type: none"> <li>The connection point will be located adjacent to the boundary of a two properties; or</li> <li>At the point of supply within public land and adjacent to two private property boundaries</li> </ul>                    | \$2,297   |
|  |   | <p><b>Single Use</b></p> <p>The pit is single use only and its position can be negotiated with the DNSP.</p> <p>The connection point will be located:</p> <ul style="list-style-type: none"> <li>Adjacent to the boundary of a single property, i.e. a dedicated (sole use) service pit; or</li> <li>At the point of supply within public land and adjacent to a private property boundary.</li> </ul> | \$3,652   |
| Underground extension (up to 15 metres) from the existing underground supply | <p>Establish the following connection assets:</p> <p>(I) service joint on our distribution system;</p> <p>(II) an underground service line from the service joint to the service pit or service pillar; and</p> <p>(III) a service pillar or underground service pit at the technically applicable connection point;</p> <p>The service line is no more than 15 metres in length for a service joint to pit. The fee assumes that the service line will not cross any roads.</p> <p>A service pit is not suitable to be located where it may be subjected to vehicular traffic.</p> | <p><b>Dual Use</b></p> <p>The pit is assumed to be dual (shared) use and must be placed at the DNSP's preferred shared use location.</p> <ul style="list-style-type: none"> <li>The connection point will be located adjacent to the boundary of a two properties; or</li> <li>At the point of supply within public land and adjacent to two private property boundaries</li> </ul>                    | \$3,429   |
|  |   | <p><b>Single Use</b></p> <p>The pit is single use only and its position can be negotiated with the DNSP.</p> <p>The connection point will be located:</p> <ul style="list-style-type: none"> <li>Adjacent to the boundary of a single property, i.e. a dedicated (sole use) service pit; or</li> <li>At the point of supply within public land and adjacent to a private property boundary.</li> </ul> | \$4,794   |

|  |   |  |         |
|--|---|--|---------|
| Underground extension (up to 40 metres) from the existing underground supply | <p>Establish the following connection assets:</p> <p>(I) service joint on our distribution system;</p> <p>(II) an underground service line from the service joint to the service pit or service pillar; and</p> <p>(III) a service pillar or underground service pit at the technically applicable connection point;</p> <p>The service line is no more than 40 metres in length for a service joint to pit. The fee assumes that the service line will not cross any roads.</p> <p>A service pit is not suitable to be located where it may be subjected to vehicular traffic.</p> | <p><b>Dual Use</b></p> <p>The pit is assumed to be dual (shared) use and must be placed at the DNSP's preferred shared use location.</p> <ul style="list-style-type: none"> <li>The connection point will be located adjacent to the boundary of a two properties; or</li> <li>At the point of supply within public land and adjacent to two private property boundaries</li> </ul>                    | \$5,820 |
|  |   | <p><b>Single Use</b></p> <p>The pit is single use only and its position can be negotiated with the DNSP.</p> <p>The connection point will be located:</p> <ul style="list-style-type: none"> <li>Adjacent to the boundary of a single property, i.e. a dedicated (sole use) service pit; or</li> <li>At the point of supply within public land and adjacent to a private property boundary.</li> </ul> | \$7,185 |

(b) Additional minor variations or incidentals and associated additional charges

| <b>Additional Connection Service</b>                                | <b>Additional Connection Service Description</b>  | <b>Indicative Additional charges</b> |
|---|---|--------------------------------------|
| Road crossing   | <p>Establish the following connection assets:</p> <p>(I) a road crossing for a road up to 10 metres in length; and</p> <p>(II) an additional length of service line up 10 metres.</p> <p>Road crossing must be placed at the AusNet Services' preferred location.</p>           | \$2,276 for each road crossing       |
| Site specific Aboriginal cultural heritage due Diligence assessment | <p>If required, under the Aboriginal Heritage Act 2006, a site specific Aboriginal cultural heritage due diligence assessment must be conducted by an archaeologist approved by the Victorian Aboriginal Heritage Council, known as a Registered Aboriginal Parties (RAPs).</p> | \$600 for each site assessment       |